Subject Index

A Absorption coefficients for dissolved	Animal population (Cont.): ecological groups:
gases, 190, 191, 202	benthos, 280, 800
Absorption of radiation (see Radiation)	nekton, 281, 810 zooplankton, 281, 812
Abyssal-benthic zone, 277	synopsis of, 304–314
animals of, 805-810	Animals and the environmental factors,
Accessory growth factors, 769	823–873
Adaptations to planktonic existence,	light, 824
764–766, 821–823	color correlations, 824–830
Adiabatic temperature distribution, Min-	structural correlations, 830–833
danao Trench, 739	vertical migrations, 835-839
Adiabatic temperature gradient, 63, 64	ocean currents, 858-869
Advection, definition of, 157	dispersal by, 858
Agulhas Stream, 696	maintenance of endemic population
Air-borne material in sediments, 955	by, 863–865
Algan	oxygen, 869
Algae: benthic, distribution of, 290, 291, 293,	anaerobic conditions, 871
295, 782	consumption of, 852, 853, 870, 873
blue-green, 288–290	salinity, 839–843
brown, 291–294	a selective agency, 840
coralline, 290, 295, 855	euryhalinity, 840
green, 290–291	size and, 842
red, 294–295	stenohalinity, 839
yellow-green, 295–302	temperature, 843–858
Alkalinity, 195-198	effect of freezing, 844
distribution, 208–210	influence on calcium precipitation, 853
relation to calcium carbonate content,	
1000, 1001	influence on geographic distribution, 845, 849, 851
Allogenic minerals in sediments, 987	influence on metabolism, 852
Alternation of generations:	influence on reproduction, 845–849,
animals, 306, 319–320	857
plants, 290, 292, 294 Aluminum, 182	influence on size, 855–857
Ammonia:	influence on speciation, 867-869
distribution in oceans, 243, 244	Annelida:
produced on sea bottom, 995	reproduction, 321
role in nitrogen cycle, 256, 257	synopsis, 308
seasonal variation, 252, 253	Antarctic Circumpolar Current, 613-621
Amphidromic point, 557, 558	Antarctic Circumpolar Water, 607, 610-
Anchoring, in deep sea, 361, 362	611
Angular velocity of earth's rotation,	renewal, 620
433	Antarctic Convergence, 139
Animal exclusion, hypothesis of, 900	biology of, 809, 941, 942
Animal population, 303	formation, 618
diversity of, 282	location, 606, 607

Antarctic Intermediate Water, 139, 608	Bacteria (Cont.):
formation, 619	modes of life, 910, 913
Indian Ocean, 691, 692, 697	autotrophic, 910
North Atlantic, 670, 685, 686	heterotrophic, 911
South Atlantic, 626, 627, 629	oxygen relations, 913, 917
South Pacific, 699–701	nitrifying, 256
spreading of, 139, 744, 745	occurrence in sediments, 1016
Antarctic Ocean:	possible role in petroleum formation,
bottom topography, 32	996
currents, 613–621	structure and reproduction, 908-910
oxygen distribution, 621–623	used to determine organic carbon, 249-
water masses, 605–613	251
Antilles Current, 672, 675	utilizers of dissolved organic matter,
Aragonite, 998, 1027	911-913
Arctic Intermediate Water:	Baffin Bay:
North Atlantic, 670, 685, 686	bottom topography, 30
Pacific, 717, 718	water masses, 663–665
formation, 722	Baltic Sea, 657–658
spreading, 745	Barite concretions, 952, 1033
Arctic plankton, 856, 868	Barium, 183
Argon, 189	Barnacles, reproduction of, 324, 326
Arsenic, 183	Barriers, faunal (see Zoogeography)
Arthropoda:	Base-exchange in clay minerals, 988, 990
reproduction, 322–324	importance to flocculation, 958 Basins, 23, 26
synopsis, 309	
Artificial sea water, 185, 186	adjacent seas, 37, 38, 736, 738 sediments in, 1026, 1028
Ascendant, definition of, 156	with inflow across the sill, 148, 149
Associations of organisms, 880–882	with outflow across the sill, 147, 148
commensalism, 881	Basin water, 147
environmental associations, 880	plant nutrients, 246, 1028
parasitism, 882	stagnating, 1026, 1028
symbiosis, 881	Bathythermograph, 352
Atlantic Ocean (see also North Atlantic	Bay of Fundy:
and South Atlantic): boundaries, 11	tidal currents, 569
equatorial region, 631–637	tides, 562, 563
currents, 632–637	Beach:
water masses, 631, 632	deposits:
oxygen distribution, 210, 686, 748	character, 1023
tides, 581–585	composition, 1022
Atmosphere, composition of, 189	texture, 1019–1023
Authigenic minerals in sediments, 1027	relation to slope of beach, 1018
frequency of occurrence, 987	1019
Auxospores, 298	equilibrium state, 44
1	terminology, 43, 44
В	Benguela Current, 627-629
.,	Benthic environment and its subdivi-
Bacteria:	sions, 275–278
aerobic, in sediments, 212, 996	Benthic organisms, importance of to
anaerobic, in sediments, 212, 996	texture of sediments, 997 Benthos, 280
bottom deposits, effect on, 917–918	biological factors in the concentration
collection and analysis of, 383	of, 907–908
denitrifying, 257	collection of, 374-375
distribution in the sea, 918–920	deep-sea, 805-810
importance in sedimentation, 995	littoral, 800–805
importance to precipitation of iron	vertical distribution of, 806–807
compounds, 1032	Bering Sea, 732, 733
in the Black Sea, 871	Bering Strait, currents of, 665, 723
	3,

Biocycles, 274 \mathbf{C} Biological factors influencing movements and concentrations of organisms, Calanus: 898-908 abundance correlated with herring Bioluminescence, 300, 304, 814, 833-835 catches, 906-907 Biosphere, 274 abundance correlated with whale Biotype, 279 catches, 905 facies of, 280 biology of, in the Gulf of Maine, 864 inhabitants of, 280, 879 feeding mechanism, 886-887 Bipolarity, 849-850, 868 oxygen consumption by, 853, 870, 873 Birds dependent upon the sea, 313, 942 reproduction, 322-323, 903 Bjerknes' theorem of circulation, 460-462 vertical migrations, 836–837 Black Sea, 649-651 Calcareous material in sediments (see biology of, 871-872 also Calcium carbonate): lamination in sediments, 1040 organisms contributing to, 950 Body fluids: Calcareous oozes (see also Pelagic sedicomposition, 232, 270 ments), 972 osmotic relationships, 269, 272 areas covered by, 975, 977, 978 control of, 271 Calcite, 998, 1027 relation to sea water, 269 Calcium, 178, 179 Bolting cloth, 377, 378 deposition by animals, 304-306, 853-Boric acid, influence of on alkalinity, 198, 855 199 deposition by plants, 290, 301, 855 Boron, 180 Calcium carbonate: Bosporus, currents of, 650 factors controlling organic precipita-Bottom samplers, 344-347, 375 tion, 999, 1000 Bottom topography: inorganic precipitation, 208, 998 illustrated, 18, 30, 32, 34, 35 percentage in sediments, 998-1008 influence on currents, 466-469 as function of depth, 1004, 1005 large-scale features, 23, 27-30 distribution, 1002–1008 maximum depths, 18, 19 factors controlling, 1007, 1008 nomenclature, 25-27 solubility, 205-208 profiles, 17, 18 solution near bottom, 1001 supply to sediments, 1000 representation of, 16 Bottom water, formation of, 138, 139 California Current, 724-727 Antarctic, 611, 612 annual variation of temperature, 131, Irminger Sea, 682, 683 Labrador Sea, 664 comparison with Peru Current, 725 Mediterranean, 645, 646 off Southern California, 454 Norwegian Sea, 656, 657 Canyons: sediments in, 1024, 1026 Bottom water, potential temperature of, submarine: character, 39-41 Bottom water of the oceans, 745-754 Boundary condition: formation, 41, 42 dynamic, 441 Carbon, 179 kinematic, 424 cycle of, 916 Boundary surface, slope of, 444 in sediments, 1010, 1011 Boundary waves (see Internal waves) organic, 248-251 Bowen ratio, 117 ratio to nitrogen, 1010 Brachiopoda synopsis, 308 Carbon dioxide: Brandt's theory of phytoplankton as a limiting factor, 768 growth, 768, 784 as a measure of production, 768 Brazil Current, 628, 629 distribution, 208-210 Bromine, 179 exchange with atmosphere, 203 importance to deposition of calcium Browsing animals, 895-896 carbonate, 1000, 1001 Bryozoa synopsis, 308 methods of determination, 192, 193 Buffer action of sea water, 195, 202 partial pressure, 201-203 ecological importance, 268 solubility, 190, 191, 202 By-the-wind sailer (see Velella)

Carbon dioxide (Cont.):	- Calan of an invalidation
system, 197–202	Color of animals, 824–830
utilization of, by plants, 768	changes, 825–827
Carbonic acid, dissociation constants of,	of deep-sea animals, 826–829 of surface oceanic animals, 827
199, 204, 205	protective, 826
Carbon-nitrogen-phosphorus ratio, 236,	Color of sediments, 967–969
237, 931	continental shelf, 1023
Caribbean Sea:	deep-sea, 978, 979
bottom topography, 35	Color of the sea, 88, 89
currents, 641, 642	Color of water, biological causes of, 289,
oxygen content, 640	783–784
water masses, 638, 641	Compensation depth, 779
Ceratium (see Dinoflagellates)	in various areas, 780
Chaetognatha:	Compensation point, 778
as indicator species, 863	Composition of foraminiferal tests, 991
reproduction, 322	Composition of marine organisms:
synopsis, 308	average, 230
"Challenger," dredging by, 805-807, 809	body fluids, 232
Chemical transformations, importance	concentration of elements, 233
of to sediments, 952	elements reported, 228, 229
China Sea, 735	ratios O: C: N: P, 236, 237
Chitin, 289 Chlorine, 175	skeletal material, 231
	Composition of river water, 214–216
Chlorinity 51 52	Composition of sea water, 165–174
Chlorinity, 51, 52	constancy, 165–168
units for expressing, 51 Chlorosity, 52	influenced by exchange with atmos-
factors, 167	phere, 212, 213
Chordata, synopsis of, 312–314	influenced by freezing, 216–219
Circulation:	influenced by rivers, 213–216
Bjerknes' theorem, 460-462	tables, 166, 173, 176, 177
deep water, 745-755	Composition of sediments, 971, 972 Compressibility, 68
thermal, 507–509	Concentrations, 158
thermohaline, 509–510	conservative, 158
transverse:	non-conservative, 159
Antarctic Circumpolar Current, 618-	units for reporting, 169, 171
620	Conductivity:
caused by upwelling, 501	electrical, 71, 72
Equatorial Countercurrent, 635, 636,	thermal (see also Eddy conductivity),
711	60, 61
Gulf Stream, 676	Continental shelf:
Circulation (water movements), bio-	average inclination, 21
logical significance of, 273-274	extension, 20, 21
Clay minerals, 988–990	formation, 24, 25, 1019
base exchange, 988, 990	sediments on, 1018–1023
flocculation, 958, 990	Continental slope, inclination of, 22
groups of, 989	Continuity, equation of, 423–426
origin, 990	used for finding layer of no motion, 457
Cl-ratio, 167	Convergence, 419, 420
Coccolith ooze, 973	caused by winds, 500-503
Coccolithophoridae, 301	regions of, 139, 140
Coelenterata:	vertical motion derived from, 425
reproduction, 319–320	Copepoda (see also Calanus):
synopsis, 306	as food for fish, 892, 907
Collection of:	as food of whales, 905
bacteria, 383	as grazers, 772, 901
benthos, 374	food of, 901
nekton, 376	reproduction, 322, 323, 903
plankton, 376–383	synopsis, 309

Coral-reefs: D formation of, 854-855 organisms of, 855 Davidson Current, 725 Corals: Dead water, 587 reproduction of, 319 Deeps, 20 systematic position of, 306 of the oceans, 29 "Core method," 146 Deep-sea anchoring, 361, 362 Cores of sediments: Deep-sea benthos, 805–810 apparatus for obtaining, 345-347 characteristics, 807 compaction, 1037 early discoveries, 805 relation between water content and food of, 808 particle size, 994 horizontal distribution, 810 stratification in, 1038, 1039 Deep-sea environmental system, 275–276 Coring apparatus, 345–347 Deep water (see also under specific Coriolis force, 433–438 geographic regions): importance to ocean currents, 390 circulation, 745-755 importance to waves, 520 formation, 138, 139 Cotidal lines, 557 Denmark Strait, flow through, 652-655 charts, 563 Density, 56, 57 semidiurnal tide of Atlantic Ocean. computation, 57 581, 582 direct determinations, 53 Crinoidea: general distribution, 137-140 bathymetric distribution, 807 maximum, 66, 68 synopsis, 312 Density currents, 41 Ctenophora, 307, 320, 890 Deposition of sediments (see Sedimen-Current meters, 366–373 tation), 960 Currents (see also Circulation, Tidal cur-Depth of frictional resistance, 396, 493 rents, and Wind currents): "Desert quartz" in sediments, 955 absolute, 455-457 Detritus feeders and scavengers, 892-895 accuracy of computed, 393, 394, 453-Development of animals (see also Life 455cycles): computation, 391, 447-452 direct. 318 derived from ships' logs, 427, 428 indirect, 318 derived from tongue-like distributions, of deep-sea animals, 318 503 - 507Diatomaceous ooze, relation of to organic effect of bottom friction, 499, 500 production, 942 effect of bottom topography, 466–469 Diatom ooze (see Pelagic sediments) Antarctic Circumpolar, 616 Diatoms: North Atlantic, 681 as primary producers, 287, 296 North Equatorial, Atlantic, 671, 672 auxospores, 298, 763 importance to distribution of sedicontrol by grazing, 771-772, 901-902 ments, 965, 966, 1042, 1043 geographical types, 791, 793 in stratified water, 444-447 methods of flotation, 764-765 related to the distribution of density, number in the open sea, 763 389-395, 447-451 number of important planktonic sperelative, 391, 442, 447–451 cies, 762 representations, 428-430 nutrient absorption, 782-783 slope, 442, 458 nutrient requirement, 768, 782-783 sorting of shallow water sediments by, on whales, 299, 881 "persistent" culture of, 780 1017-1019 transportation of particles along botreproduction, 297-299 tom by, 959–966 resting spores, 299, 762-763 transportation of settling particles by, sinking, 772, 781, 893 959 units used, 363 importance of viscosity, 794 structure, 295-297 vertical convection, 510, 511 systrophe in, 779, 781 wave-like pattern in South Atlantic, temperature requirements, 770, 792-630Cyclic salt, 213, 214

Diatoms (Cont.): Eddy diffusivity, 93 tychopelagic forms in the plankton, 762 effect of stability on, 476, 477 Diffusion (see also Eddy diffusivity), 69 importance to tongue-like distribu-Dimensions used in mechanics, 400-402 tions, 504-507 Dinoflagellates: lateral, 92, 93 distribution, 762 importance to sedimentation, 959 importance to tongue-like distribumethods of flotation, 765-766 number of important species in the tions, 506, 507 plankton, 762 numerical values, 483, 485 nutritional requirements, 299, 385 numerical values, 481, 483, 484 rate of production, 790, 930 Eddy viscosity, 91, 473, 474 reproduction, 300 influence of stability on, 476 structure, 299-300 numerical values, 481, 482 related to lateral mixing, 474, 475 systematic position, 304 temperature requirements, 385, 762 Antarctic Circumpolar Current, 621 Equatorial Countercurrent, 634 Diurnal migrations, 836–839 Divergence, 420 numerical values, 485 caused by wind, 500-503 Eel grass: near Antarctic continent, 620 as primary producer, 303, 893, 936-937 near the equator, 635, 711 structure and reproduction, 302-303 regions of, 140 vertical motion derived from, 425 dispersal of larvae, 861–862 Dolomite, 952, 998, 1027 homoiosmotic condition, 271 Dredge, 374, 375 migrations, 811 Ekman current meter, 367, 368 Drift bottles, 364, 365 Drift of plants, 791–792 Ekman spiral, 493 Dynamic computations, 392, 408-411 Ekman water bottle, 354 example, 411 Elasmobranchs, 312 Dynamic equilibrium, principle of, 160osmotic pressure of body fluids, 271 Electric conductivity, 71, 72 163Dynamic meter, 392, 403 Elements derived from earth's crust, 219- \mathbf{E} Elements present in marine organisms, 228, 229 Earth, size of, 9 concentration of, 233 Earthquake waves (see also Tsunamis), Elements present in sea water, 174 543, 544 table, 176, 177 Earth's rotation: El Niño, 704, 705 angular velocity, 433 effect on fauna, 274 deflecting force, 390, 433-438 Emerita: East Greenland Current, 659, 660 dispersal of larvae, 859–860 East Indian Archipelago, basins and feeding habits, 895 waters of, 736–739 Endemic populations, maintenance of, Echinodermata: 863-865 reproduction, 324, 325, 326 Energy equation, 441, 486 synopsis, 311–312 Environment, marine: Echo sounding (see also Sonic soundings), antiquity, 281-284 characteristics, 268 Ecological groups of animals (see Animal classification, 275–280 population) extent, 274 Eddy conductivity, 92 Environmental factors (see Light, Currents, Oxygen, Salinity, and Temcomputation from temperature observations, 135-137 perature) Eddy conductivity of the air, 114 Equatorial Countercurrent: Eddy diffusion: Atlantic, 633-637 importance to transportation of sedi-Indian Ocean, 696 ments along bottom, 962–966 Pacific, 709-712 Equatorial currents (see North and South lateral, dispersal of suspended material Equatorial Currents) by, 959

Equiscalar curves, 155 Equiscalar surfaces, 154, 155 Equivalent diameters of sedimentary debris, 958 compared to true dimensions, 982 statistical terms derived from, 970, 971 used for classifying sediments, 957, 974 Eroding velocity of ocean currents, 961 Erosion by currents, 41, 960-962 Euphausiids: as food of whales, 904, 906-907 reproduction, 323 synopsis, 310 Euphotic zone, 774 Eurybathic animals, 806-807 Evaporation: annual variation, 122 average annual, 120 computation of, 119, 120 diurnal variation, 122, 124 from the Black Sea, 650 from the Mediterranean Sea, 647 in different latitudes, 120, 121 table, 123 latent heat of, 62 observations of, 119 process of, 115-119 Extraterrestrial material in sediments,

 \mathbf{F}

Faeroe-Shetland Channel, flow through, 652 - 655Falkland Current, 628, 630 Faunal areas (see Zoogeography) Feeding mechanisms, 886-898 Filter feeders, 377, 886–892 rate of filtering, 901-902, 930 Fishes (see also under specific fishes): deep-sea fishes: adaptations, 828-835, 897 food of, 896-897 dispersal of eggs and larvae, 861, 865 feeding habits, 884, 890, 892 migrations, 811 osmotic regulations, 271 reproduction, 325 synopsis, 312 visual depths, 831-833 year classes, 326-328 Floating adaptations: in animals, 818, 821-823 in diatoms, 764-765 in dinoflagellates, 765–766 Flocculation of fine sediments, 958 Florida Current, 672, 673-675 compared with Kuroshio, 720

Fluorine, 180 Fog, advection, 118 Foraminifera: in deep-sea sediments, 983-985 reproduction, 319 synopsis, 304-305 Foraminiferal number, 985 Foraminiferal tests, composition of, 991 Forel scale, 88 Freezing point of sea water, 65-67 Friction: boundary, 478-481 general terms, 469, 470 simplified terms, 475 Frictional forces, 469 in presence of turbulence, 474-476 Frictional stresses (see also Wind stress), 68, 69 due to lateral turbulence, 474 Antarctic Circumpolar Current, 621 Equatorial Countercurrent, 634 importance to dynamics of ocean currents, 489 due to vertical turbulence, 471-474 Fucus, 286, 291 reproduction, 293 zone, 277

G

Geochemistry: importance of sediments to, 947 of the ocean waters, 219-222 Geopotential, 403 anomaly, 409 topography, 404 illustrated, 454, 726 of isobaric surfaces, 412-413 Glacier ice (see Icebergs) Glauconite, 1035, 1036 factors important to formation, 997 frequency of occurrence, 987 Globigerina ooze (see Pelagic sediments), 305 Gradient, 156 Grazers of the sea, 884-886, 901-903 Grazing as a control of diatoms, 901-902 Gulf of California, 730-732 lamination in sediments, 1040 Gulf of Mexico: bottom topography, 35 currents, 642 oxygen content, 641 water masses, 639-642 Gulf Stream, 672, 675-680 Gulf Stream System, 672 Gulfweed (see Sargassum)

 \mathbf{H}

Halosphaera, 301, 302 Heat: conducted through ocean bottom, 110 exchange, ocean-atmosphere, 114, 115 off Norwegian coast, 656 specific, 61, 62 transformed from kinetic energy, 110 transported by ocean currents, 99 Helium, 189 Herring, numbers correlated with copepods, 892, 906, 907 Histogram, 970, 980 Holoplankton: characteristic types of, 816, 817 dispersal of, 862-863 numbers of species of, 868 Hydrogen-ion (see pH): related to organisms, 268, 770 Hydrogen sulphide, 187 amounts in sea water, 189 at bottom of basins, 1028 exclusion of animals by, 871, 872 importance to precipitation of iron, 952, 1032 in Black Sea, 651, 917 in sediments, 995 Hydrometers, 53 Hypoplankton, 814 Hypsographic curve, 19

I Ice (see Sea ice) Icebergs: in the Antarctic, 624, 625 in the Arctic, 667, 668 prediction of drift, 668 transporting sedimentary debris, 953, 1043 Indian Ocean: boundaries, 11 currents, 695-697 oxygen distribution, 697, 698 water masses, 690-695 Indicator species, 791-792, 793, 847, 849, 862-863, 865-867 Individual population succession, 384 Individual time change, 157 Inertia, circle of, 437 motion in, 438, 439 Inorganic precipitates in sediments, 951, 952 Insects, 310 Insular shelf, formation of, 24 Internal waves, 586 comparison between theory and observations, 597-600

Internal waves (Cont.): currents associated with, 588-590, 594 effect of Corioli's force, 595, 596 effect on results of dynamic computation, 601, 602 importance to mixing, 601 long, 587 observations, 591–595 short, 586 standing, 600, 601 where density varies continuously. 589 - 591Interstitial water, 995 Intertidal zone, 276 animals of, 276, 840, 844 Iodine, 183 Ionic activity, 203-205 Ionic product, 205 of calcium carbonate, 205-207, 999 Irminger Current, 682 Irminger Sea, water masses of, 682, 683 Iron, 183 as a limiting factor for diatoms, 769 in red clay, 1031, 1032 precipitation of, 952, 1031, 1032 Isentropic surfaces, 415, 416 Isobaric surfaces, 390, 440 absolute topography, 456, 457 inclination, 410-412, 440 relative topography, 412, 413, 452–455 illustrated, 454, 726 Isobaths, 16 Isotopes in sea water, 47, 49

J

Japan Current (see Kuroshio) Japan Sea, 734, 735 Jellyfish (see Medusae)

 \mathbf{K}

Kelp, 287
habitats, 287, 291, 293
structure and reproduction, 292, 293
Knot, 363
Kuroshio, 719, 720, 721
annual variation of temperature, 131, 132
eddy conductivity derived from, 136, 137
Kuroshio Countercurrent, 719
Kuroshio Extension, 719, 721, 722
Kuroshio System, 719

 \mathbf{L}

Laboratories on board ship, 339, 340 Labrador Current, 665 meeting Gulf Stream, 682

Labrador Sea: currents, 665, 666 water masses, 663-665 Laminar boundary layer, 479 Laminar flow, 89, 470 Laminarian zone, 277 Laminations in sediments: deep sea, 1038, 1039 shallow water, 1039-1040 Larvae (see Zooplankton, temporary) Lateral mixing (see Eddy viscosity and Turbulence) Law of parallel solenoids, 455 Layer of no motion, determination of, 456, 457 Level, reference, for depths, 10 Level surfaces, 390, 402 Liebig's law of the minimum, 768, 792 Life cycles of animals (see also Reproduction), 283, 319-322 field studies of, 322-323, 845-848, 862-Life in the sea, development of, 281–284 related to animal ecology, 824-839, 851, 899 related to plant production, 774-776, 781 - 782Limacina, biological studies of, 384 Limnoria, 310 food of, 896 reproduction, 317 Lithium, 182 Littoral system, 276-277 animals of, 800-805 horizontal distribution, 803-805 plants of, 286-295, 302 subdivisions, 275, 276, 286 Local change, 157 Local sequence, 384 Luminescence (see Bioluminescence) Lunar hours, 548

Μ

Magnesium, 175
Mammalia:
reproduction, 326
synopsis, 313
Manganese, 184
in red clay, 1029, 1030
nodules and concretions, 952, 1028
Mechanical analysis of sediments, 958, 970
Mediterranean Sea:
bottom topography, 34
currents, 647, 648
formation of bottom water, 645

oxygen content, 648-650

Mediterranean Sea (Cont.): plant nutrients, 245 water masses, 643-646 Mediterranean Water, spreading of, 670, 685, 686, 745 Medusae: biological studies on, 320, 820 reproduction, 320 synopsis, 306 Meroplankton (see Zooplankton, temporary) Messengers, 354 Meter wheel, 338 Micro-plants, significance of, 883-884 Migrations: eel, 811, 861-862 from land to sea, 283, 302 from sea to land, 284 salmon, 811 vertical, 835-839 whales, 811, 905 Mixing length, 472 near a boundary surface, 479 Mollusca: reproduction of, 324 synopsis of, 310-311 Momentum, transport of, 472, 473 Mucus feeding, 889, 894 Mud flows, 960

N

Nannoplankton, 819 Nansen water bottle, 353, 354 used for collecting phytoplankton, 382 Nathansohn's theory of plant nutrient distribution, 784 Nekton, 281, 810-812 biological factors in movements of, 904-907 Nemertinea, synopsis of, 307 Neon, 189 Nereocystis: reproduction, 292 structure, 292 Neritic environmental province, 275, 279, 784 Nets, plankton, 376 catching power, 378-379 operation, 380 types, 379 Nitrate: distribution in basins, 245 distribution in oceans, 241-243 related to deep-water circulation, 754 factors influencing distribution, 246 produced on sea bottom, 995 reduction and denitrification, 915

Nitrate (Cont.):	Norwegian Sea:
regeneration, 254-257	bottom topography, 30–32
seasonal variation, 252, 253	currents, 659
utilization as a measure of production,	inflow of water, 652–656
932	outflow of water, 652–656
Nitrate-nitrogen, ratio to phosphate-	oxygen content, 662
phosphorus, 236, 243	water masses, 656, 657
Nitrite:	Nursery areas, 315
distribution in oceans, 243	Nutritional relationships, 882–898
produced on sea bottom, 995	micro-animals, significance of, 884-886
Nitrogen, 181	micro-plants, significance of, 883
compounds, utilization of by plants,	•
768	0
in sea water, 252–255	
seasonal variation, 252	Obelia, 306
transformations, 253–255	reproduction, 320
dissolved:	Ocean currents, ecological relations of:
amounts in sea water, 188	animals, 858–869
determination, 187	plants, 782–792
solubility, 188–191	Oceanic environmental province, 275, 278
in sediments, 1010, 1011	animals, 821, 827
Nitrogen cycle, 913–916	plants, 763
ammonification, 914	Oceanographic vessels, 331–333
in the sea, 255–257	Oceans:
nitrification, 914	areas, 13, 15
nitrogen assimilation, 915	boundaries of subdivisions, 12
Nitrogen fixation, 916	mean depths, 13, 15
Nitrogen-phosphorus ratio in plankton,	volumes, 13, 15
236, 768	Oikopleura:
Nitzschia closterium, 296, 769	feeding mechanism, 888
photosynthesis, 781, 933	systematic position, 312
Noctiluca, 304	Okhotsk Sea, 733
reproduction, 319	Oozes, ecological importance of, 278
Normal Water, 51	Organic constituents in sediments, 949-
North Atlantic Current, 673, 680–683	951, 983-986
North Atlantic Ocean:	Organic environment, 879
currents, 671–686	Organic matter:
oxygen distribution, 686	dissolved, utilization of, 911–913
water masses, 668-671	in sediments, 951
North Equatorial Current:	chemical composition, 1010
Atlantic, 671	decrease with depth in deposit, 1016
Indian Ocean, 696	distribution, 1013-1017
Pacific, 708, 709, 718, 719	factors determining amounts, 1012-
North Pacific Current, 719, 722	1013
North Pacific Ocean:	quantity, 1008-1010
currents, 718–728	sources, 951, 1011
eastern gyral, 723, 724	Organic production in the sea, 925-926
oxygen distribution, 728–730, 753	commercial, 936-937
water masses, 712–718	cycle of organic matter in the sea
North Polar Sea:	926
bottom topography, 30–32	in different regions, 937-944
currents, 661	phytoplankton, 927–934
oxygen content, 662, 663	zooplankton, 934–936
water masses, 658, 659	Osmotic pressure, function of salinity and
North Sea:	temperature, 66, 67
currents, 660	Osmotic relationships of body fluids:
water masses, 657	fresh-water animals, 269
Norwegian Current, 659, 660 fluctuations, 655, 661, 662	marine animals, 269, 271, 839
nuouauons, ooo, oor, ooz	

Oxidation-reduction potential, 211, 212 importance to accumulation of iron in sediments, 1032 importance to accumulation of manganese in sediments, 1031 in sediments, 995-997 Oxygen: as an environmental factor, 869-873, 903, 913, 917 in organic matter in sediments, 1011 production and consumption of, as index of organic production, 933production by plants, 767, 777, 933 Oxygen, dissolved: depletion in interstitial water, 995 depletion in relation to nutrient content, 237 determination, 187 relation to pH distribution, 209 solubility, 189-191 Oxygen consumption, bacterial, as a measure of organic carbon, 250 Oxygen content (see under specific geographic regions): oceanic deep-water, 746, 748, 752-754 Oxygen distribution (see under specific geographic regions): conditions for stationary, 161, 162 related to deep-water circulation, 754 Oyashio, 721, 733 meeting Kuroshio Extension, 722 Oysters, reproduction of, 316, 324, 846-847, 857 P

Pacific Ocean (see also North Pacific and South Pacific): boundaries, 11 equatorial region, 706-712 currents, 708-712 oxygen content, 710, 711 phosphate, 710, 711 silicate, 710, 711 water masses, 706-708 oxygen distribution, 728-730, 753 Palagonite, 1027 frequency of occurrence, 987 Pelagic environment and its subdivisions 278 Pelagic sediments (deposits), 972 areas covered by, 977 average percentage of calcium carbonate, 1006 chemical composition, 991, 992 classification, 972-973 color, 978, 979 content of organic matter, 1015

Pelagic sediments (deposits) (Cont.): depth range, 978 distribution, 974-978 inorganic constituents, 986-990 iron content, 992, 1030-1032 manganese content, 992, 1028-1031 minerals, 986-990 organic constituents, 983-986 phosphorus content, 992, 1032 radium content, 1034, 1035 rate of deposition, 1038, 1039 texture, 979-982 Pendulum day, 437 Permeability of sediments, 994 Persian Gulf, 690 Peru Current, 701–705 comparison with California Current, 703 organic production in, 942 Petroleum formation in marine sediments, 947, 1009 possible role of bacteria, 996 Pettersson-Nansen water bottle, 352 Phaeocystis, 301 Phillipsite, 1027 frequency of occurrence, 987 pH of sea water, 193 determination, 193, 194 distribution, 208-210 role in carbon dioxide system, 195-202 Phosphate: as a limiting factor, 768, 788 distribution: factors influencing, 246, 247 in basins, 245, 246 in oceans, 239-241 related to deep-water circulation, 754 in South Atlantic, 786-788 regeneration, 260-261 in isolated areas, 932 seasonal variation, 258 utilization of, by plants, 768, 931-932 Phosphate-phosphorus, ratio to nitratenitrogen, 236, 243 Phosphorescence (see Bioluminescence) Phosphorite nodules, 952, 1032, 1033 Phosphorus, 182 in red clay, 1030, 1032, 1033 organic, in sea water, 257 Phosphorus cycle in the sea, 260-261, 916 Phosphorus-nitrogen ratio in plankton, Photosynthesis of phytoplankton, 774 energy and illumination, 776 experiments, 777-782, 933 assimilation, 777 Photosynthesis ratio to respiration, 933

Population, 162
Porosity of sediments, 993, 994
Portuguese man-of-war (see Physalia)
Potassium, 179
Potential temperature (see Temperature)
Pressure (see also Isobaric surfaces):
as an ecological factor, 273
field of, 405
internal field, 408
total field, 413
units, 55, 170
Pressure gradient, 405
Preying animals, 896–898
Primary food of the sea, 882, 883
Production (see Organic production and
Phytoplant on production and
Phytoplankton production), 162
importance of, to organic matter in
sediments, 1011, 1015
Projections, map, 10
Protozoa:
reproduction, 319
synopsis, 304–305
Pteropod ooze (see Pelagic sediments)
R
Radiation:
absorption in pure water, 80, 81
illustrated, 105, 106
absorption in sea water (see Radiation,
extinction coefficients)
effective back, 111-113
extinction coefficients, 82, 84, 85
cause, 87, 88
influence of sun's altitude on, 86, 87
of total energy, 106, 107
from sun and sky, 101-104
heating due to absorption of, 108–110
long-wave, 98
measurements of extinction, 82, 83
nocturnal (see Radiation, effective
back)
reflection from ice and snow, 113
reflection from sea surface, 104
scattering, 87
short-wave, 98
solar constant, 102
"surface loss," 106
Radioacoustic ranging, 341
Radioactive elements, 184
in sediments, $1033-1035$
Radiolaria:
reproduction, 319
systematic position, 305
Radiolarian ooze (see Pelagic sediments):
areas covered by, 977
color, 979
depth range, 978
distribution, 975, 976

SUBJECT INDEX

Radiolarian ooze (Cont.):	Salinity (Cont.):
inorganic constituents, 984, 986–988	range in oceans, 55
organic constituents, 983, 986	units for expressing, 51, 54
radium content, 1034	Salmon:
Radium, 184	migration, 811
in sediments, 1033–1035	transplantations, 850
Red clay (see Pelagic sediments):	Salpa, systematic position of, 312
areas covered by, 977	Sardine:
chemical composition, 991, 992 color, 979	feeding mechanism, 890
content of organic matter, 1015	quantity fished, 896 Sargassum, 293, 883
depth range, 978	
distribution, 975, 976	reproduction, 293 Saturation coefficients for dissolved gases.
inorganic constituents, 984, 986–988	190, 191
iron content, 1030-1032	Scalar fields, 154–156
manganese content, 1029, 1030	Sea cucumbers:
organic constituents, 983, 984	consumption of detritus by, 894
phosphorus content, 1030, 1032, 1033	reproduction, 325, 326
radium content, 1034	synopsis, 311
rate of sedimentation, 1039	Sea ice:
texture, 980–982	influence of freezing on composition of
Red Sea:	sea water, 216–219
currents, 687–690	in the Antarctic, 623, 624
oxygen content, 688	in the Arctic, 666, 667
water masses, 687, 688	amount influenced by currents, 662
Red Sea water, spreading of, 693, 695, 745	physical properties, 72–74
Reducing capacity, 212	salinity, 71, 72
in sediments, 996	transporting sedimentary debris, 954,
Red water, 89 Refractive index, 70, 71	1043
Relative relief, 19	Sea level:
Reproduction (see also Life cycles):	ideal, 9
related to temperature, 845–849	mean, 10, 561 slope:
types, 315	along North American east coast,
Reproductive distribution, 315	677
Resting spores in diatoms, 299	in Caribbean Sea, 641, 678
Rip currents, 537	near the equator, Atlantic, 634
importance to beach sediments, 1017,	near the equator, Pacific, 709
1018	variations, 458–460
River water, composition of, 214–216	Seals, synopsis of, 313
Rotifera, synopsis of, 307	Sea water:
Roughness length, 479	artificial, 185, 186
of sea bottom, 480	relation to body fluid, 269
of sea surface, 491	Sedimentation, 946
Rubidium, 182	rate of, 1036-1041
2	estimated by stratigraphic method,
S	1038–1040
C:4	estimated by supply method, 1040-
Sagitta:	1041
as indicator species, 863 reproduction, 322	Seechi disk, 82
systematic position, 308	Seiches, 538-542
Salinity, 50	importance to transportation of sedi- ments, 965
as an ecological factor, 770, 839–843	on open coasts, 542
average surface values, 123, 124	Settling velocity of sedimentary debris,
determination, 50–54	956959
origin, 219	importance to transportation along
periodic variations at surface, 126	bottom, 962–966

Settling velocity of sedimentary debris	Soundings:
(Cont.):	available for charts of bottom topog-
size-grade distribution derived from,	rapny, 14–16
970	methods, 342-344
Sharks (see Elasmobranchs)	Sounding velocity, 79
Shorelines, 42–44	Sound waves:
classification, 43	velocity in sea water, 76, 77, 79
Silicate:	wave length, 77, 78
as a limiting factor, 769	South Atlantic Ocean:
distribution in oceans, 244-245	currents, 627-630
related to deep-water circulation,	oxygen distribution, 630, 631
754	water masses, 625–627
factors influencing distribution, 246	South Equatorial Current:
seasonal variation, 261, 262	Atlantic, 628, 633
utilization by plants, 769	Indian Ocean, 696 Pacific, 708, 709
Siliceous material in sediments (see	South Pacific Ocean:
Diatom ooze and Radiolarian	currents, 701–706
ooze):	oxygen distribution, 728–730
organisms contributing to, 950	Water masses 609 701
Siliceous oozes (see also Pelagic sedi-	water masses, 698–701 Specific heat, 61, 62
ments), 973	Specific humidity, 116
areas covered by, 977, 978	Specific volume, 57
Siliceous sediments:	anomaly, 57, 58
diatoms in, 296	computation, 58
radiolaria in, 305	Sphere depth, mean, 19, 20
Silicoflagellates, 302	Sponges:
Silicon, 180	reproduction, 319
cycle in the sea, 262, 263	synopsis, 306
Sill depth, 25, 147	Stability, 416–418
importance to character of basin water,	influence on turbulence, 91, 92, 476
150	Stagnant water:
Caribbean Sea and Gulf of Mexico,	destruction of organic matter in, 1012
640	development, 1026
Fast Indian Archipelago, 736–738	Standard depths of observation, 357
of basins in adjacent seas, 37, 38, 738	Starfish:
Size-grade distribution in sediments, 970,	bathymetric distribution, 807
971	synopsis, 311
represented by cumulative curves, 970,	Stationary distribution, 157
981	Stationary velocity field, 423
represented by histograms, 970, 980	Sterile distribution, 315, 847
statistical terms, 970, 971	Strait of Bab el Mandeb, currents of,
Skeletal structures of marine organisms:	688690
as constituents of sediments, 949	Strait of Gibraltar, currents of, 646–648
composition, 231	Stratosphere, oceanic, 141
Sliming of the sea, 290, 291	Stream lines, 426
Snakes, synopsis of, 313	Strontium, 179
Sodium, 175	Strontium carbonate in radiolarians, 991
Solar constant, 102	Submarine canyons (see Canyons)
Solubility:	Submarine geology, topics of 22
calcium carbonate, 205–208	Submarine topography (see Bottom to-
gases, 190, 191	pography)
salts, 210–211	Subtropical Convergence, 140
Solubility product, 205	in Southern Oceans, 606
Sonic soundings:	sinking of water in region of:
equipment, 342, 343	Indian Ocean, 691
importance to knowledge of bottom	North Atlantic, 670
topography, 16	North Pacific, 714
Sound energy, absorption of, 78	South Atlantic, 626

Subtropical Convergence, sinking of	Terrigenous mud, radium content of,
water in region of: (Cont.):	1034
South Pacific, 700, 701	Terrigenous sediments, 972–974
Suez Canal, flow through, 688, 689	average percentage of calcium carbon-
Sulphur, 178	ate, 1006
cycle of, 917 Surface tension, 70	classification, 973, 974 distribution, 972, 975, 976
Surface tension, 70 Suspended particles, 958	rate of deposition, 1039, 1040
importance to extinction of radiation,	Texture of sediment:
88	beach, 1019-1022
Suspension of sedimentary debris near	bearing on content of organic matter,
bottom, 962–965	1016
Swell, 536	continental shelf, 1020–1022 deep sea, 979–982
Symbiosis, 881–882	Texture of sediments, 969–971
Ţ	Thermal conductivity (see also Eddy
Temperature:	conductivity), 60, 61
adiabatic changes, 63-65	Thermal expansion, 60
annual variation:	Thermometers, 347–352
at surface, 129, 130	protected reversing, 349, 350
in surface layers, 131–133	unprotected reversing, 350, 351
theory, 135–137	Thorium, 184 Tidal currents:
as an ecological factor, 770, 792–795,	Atlantic Ocean, 584, 585
843–858	effect of friction, 577–580
average surface values, 127 difference, sea-surface minus air, 128,	influence of bottom topography, 567,
129	568
diurnal variation:	in sounds, 568, 569
at surface, 133, 134	rotary, 570
in surface layer, 135	due to earth's rotation, 571–573
measurements, 347-352	due to interference, 570 theory, 564
potential, 64	Tidal energy, 569
at depths exceeding 4000 m, 747, 749	Tide-producing forces, 545-550
basin water, 149	"Tide rips," 716
bottom water, 749 Caribbean Sea, 640, 641	Tides:
China Sea and Sulu Sea, 735	analysis and prediction, 564
Gulf of Mexico, 641	Atlantic Ocean, 581
Mediterranean Sea, 644	character, 558 cooseillating, 553
Mindanao Trench, 739	effect of Corioli's force, 555
range, in oceans, 55	effect of friction, 574
Temperature-salinity diagram, 142	importance to shallow-water sedi-
illustrating water masses of: all oceans, 741	ments, 1017
equatorial region, Atlantic, 631	independent, 554
equatorial region, Pacific, 707	meteorological, 559
Indian Ocean, 692	observations, 359–361 partial, 549, 558
North Atlantic, 669	theories, 550–552
North Pacific, 713	Tintinnoinea, systematic position of, 305
South Atlantic, 626	Trajectories, 426
South Pacific, 699, 700 Subantarctic region, 612	Transparency, 85
used for checking data, 358	Transport, volume of, 462–465
Teredo:	Antarctic Circumpolar Current, 615-
depredations by, 841	617 by wind currents, 498
diet, 896	North Atlantic, 683–685
Terrigenous materials in sediments, 948,	North Pacific, 727, 728
949	South Atlantic, 628, 629

Upwelling (Cont.): Transport across the equator: process, 140, 501 Atlantic, 637, 685 Urnormal-1937, 51 Pacific, 752 Transportation of particles along bottom, 959-966 effect on shape, size, and composition, Vapor pressure over sea water, 66, 115 966, 967 Transportation of particles by currents, Vector diagrams, 421 Vector fields, 418-420 Velella, 306, 320 Transportation of sediments to the sea, Vertebrata, synopsis of, 312 953 - 956Viscosity (see also Eddy viscosity): by ice, 953 dynamic, 69, 469, 470 by organisms, 954 kinematic, 470 by winds, 954-955 Volcanic material in sediments, 949 importance to character of sediments, transportation to sea by winds, 955 Transport of heat by ocean currents, W Trawls: beam, otter, and ring, 375, 376 Tripping mechanism, 380 Wake Stream, 676 Tropical convergences, 140 Water mass, 143 Tropical submergence, 849 formation, 143–146 Troposphere, oceanic, 141 Water masses of the oceans (see also Tsunamis (see also Earthquake waves), under geographic regions), 739-745 543 Water type, 143 contributing to formation of submarine Waves (see also Internal waves and Wind canyons, 42 waves): importance to transportation of sedicaused by earthquakes, 543 ments, 965 contributing to formation of sub-Tunicates, bathymetric distribution of, marine canyons, 42 characteristics, 516-521 destructive, 542 Turbulence (see also Eddy viscosity and effect of Corioli's force on, 520 Eddy diffusion), 90–93, 471 "tidal," 542 horizontal, 477, 478 Whales: importance to transportation of sedibiological factors in movements, 904 ments, 960, 962-965 905 influence of stability on, 92, 476, 477 diatoms on, 299, 881 transport of momentum, 472, 473 feeding habits, 892 feeding mechanisms, 314, 891-892 food of, 273, 904-907 migrations, 811 Ulva, 286, 290 rate of growth, 906 Undertow, 537 rate of metabolism, 935 Units, fundamental, 400 reproduction and growth, 326 Upwelling: sounding of, 273 effect on annual variation of temperasystematic position of, 314 ture, 131, 132 Winches, 333-335

Wind currents, 492

Antarctic Ocean, 617

in shallow water, 496

transport by, 498 velocity, 494

Wind factor, 494

secondary effect of, 500

Wind drift of ice, 623, 666

Wind stress, 489-491, 537

general character, 395-397

ondertow, 537

Inits, fundamental, 400

[pwelling:
 effect on annual variation of temperature, 131, 132

effect on content of plant nutrient in surface layer, 246, 247

importance to organic matter in sediments, 1044

off coast of California, 724, 725

off coast of Peru, 702, 703

off Somali coast, 696

off west coast of North Africa, 671

off west coast of South Africa, 627, 628

Wind waves: breakers, 536 effect on beaches, 1017 dissipation, 536 forms and characteristics, 523-527 growth, 533, 535 height, 532, 535 importance to beach sediments, 1017-1019 interference, 529 origin, 522 particle velocity, 528 period, 534 short-crested, 531 Wire ropes, 335-338 Wood-boring organisms, 317, 841, 895-Wyville Thompson Ridge as a faunal barrier, \$10, 849

\mathbf{X}

X-ray methods in sediment studies, 947, 988

Y

Year classes, 326–328 Yellow Sea, 735

 \mathbf{z}

Zoogeography: barriers: East Pacific, 803 land, 803 Wyville Thompson Ridge, 810, 849 faunal areas, 273, 799-810 Zooplankton (see also Plankton), 812-823 adaptations, 821-823 collection and analysis, 378-382 neritic and oceanic, 820-821 permanent, 816-819 production, 934-936 relation to physical-chemical environment, 823 relation to phytoplankton, 898-904 temporary, 814-815 Zostera (see Eel grass)